

EAST COAST SHRUBLAND/ FOREST (draft) URE TO KAIKOURA		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Not on Limestone	Bird Food	Showy Flowers or Fruit	Flammability	Localized or Rare in District	Threat Classification (if appropriate)
TALL TREES 20metres+																
Beilschmiedia tawa	Tawa								☒			Fr		M	L/R	
Dacrycarpus dacrydioides	Kahikatea		☒	☒		☒			☒			Fr		M		
Dacrydium cupressinum	Rimu			☒		☒			☒		☒	Fr		M		
Elaeocarpus dentatus	Hinau			☒		☒			☒		☒	Fr	Fl		L	
Nothofagus fusca	Red beech			☒					☒		☒	Fr, H				
Nothofagus solandri var solandri	Black beech			☒	☒				☒		☒	Fr, H				
Podocarpus hallii	Halls/mountain totara			☒	☒				☒			Fr				
Podocarpus totara	Totara			☒	☒				☒			Fr				
Prumnopitys ferruginea	Miro			☒		☒			☒			Fr			L	
Prumnopitys taxifolia	Matai			☒					☒			Fr				
SMALL TREES 5-15metres																
Alectryon excelsus	Titoki			☒		☒			☒			Fr	Fr			
Aristotelia serrata	Wineberry	☒		☒					☒			Fr	Fl	L/M		
Carmichaelia stevensonii	Weeping tree broom				☒			☒		☒			Fl		R	5
Carpodetus serratus	Putaputaweta , marbleleaf	☒		☒					☒			Fr	Fl	L		
Cordyline australis	Ti, cabbage tree	☒	☒	☒				☒	☒			Fl, Fr	Fl	M		
Cyathea dealbata	Silver fern			☒		☒			☒					M/H		
Cyathea medullaris	Mamaku			☒		☒			☒					M/H		
Cyathea smithii	Soft tree fern			☒		☒			☒					M/H		
Dicksonia fibrosa	Wheki-ponga			☒		☒			☒					M/H		
Dicksonia squarrosa	Wheki			☒		☒			☒					M/H		
Elaeocarpus hookerianus	Pokaka			☒					☒			Fr	Fl		L	
Griselinia littoralis	Broadleaf	☒		☒					☒			Fr		L		
Hoheria angustifolia	Narrow-leaved lacebark			☒	☒			☒	☒	☒		Fl, Lv		L/M	L	
Hoheria populnea var sixtylosa	Lacebark	☒		☒	☒			☒	☒			Fl, Lv	Fl	L/M	R	
Kunzea ericoides	Kanuka	☒		☒	☒		☒	☒	☒			N	Fl	H		
Leptospermum scoparium	Manuka	☒	☒	☒	☒		☒	☒	☒		☒	N	Fl	H		
Hedycarya arborea	Pigeonwood			☒		☒			☒			Fr	Fr			
Melicytus ramiflorus	Mahoe	☒		☒					☒			Fr		L/M		

These lists represent "work in progress" and are a guide only

EAST COAST SHRUBLAND/ FOREST (draft) URE TO KAIKOURA		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Not on Limestone	Bird Food	Showy Flowers or Fruit	Flammability	Localized or Rare in District	Threat Classification (if appropriate)
<i>Myoporum laetum</i>	Ngaio	☒		☒	☒		☒	☒	☒			Fr	Fl	L/M		
<i>Myrsine australis</i>	Mapou , red matipo			☒					☒			Fr				
<i>Nestegis cunninghamii</i>	Black maire			☒					☒			Fr			L	
<i>Nestegis montana</i>	Narrow-leaved maire			☒					☒			Fr			R	
<i>Olearia paniculata</i>	Akiraho	☒		☒	☒			☒	☒	☒			Fl			
<i>Pennantia corymbosa</i>	Kaikomako			☒					☒			Fr	Fl			
<i>Pittosporum eugenioides</i>	Lemonwood	☒		☒					☒				Fl	L/M		
<i>Pittosporum tenuifolium</i>	Kohuhu	☒		☒	☒				☒					M		
<i>Plagianthus regius</i>	Lowland ribbonwood	☒		☒					☒					L/M	L	
<i>Pseudopanax arboreus</i>	Five finger	☒		☒					☒			Fl, Fr	Fr	L		
<i>Pseudopanax crassifolius</i>	Lancewood			☒	☒			☒	☒			Fr		L		
<i>Raukawa edgerleyi</i>	Raukawa			☒					☒			Fr			L	
<i>Rhopalostylis sapida</i>	Nikau			☒					☒			Fr	Fl,Fr		L	
<i>Sophora microphylla</i>	Kowhai			☒	☒			☒	☒			N, Lv	Fl			
SHRUBS 2-5metres																
<i>Brachyglottis repanda</i>	Rangiora			☒					☒				Fl			
<i>Carmichaelia australis</i>	Common broom	☒		☒	☒		☒	☒		☒					L	
<i>Carmichaelia glabrescens</i>	Pink tree broom			☒	☒		☒	☒		☒			Fl		L	
<i>Coprosma areolata</i>				☒					☒			Fr				
<i>Coprosma crassifolia</i>				☒	☒			☒	☒	☒		Fr				
<i>Coprosma foetidissima</i>	Stinkwood			☒					☒			Fr				
<i>Coprosma grandifolia</i>	Kanono, large leaved			☒					☒			Fr		L		
<i>Coprosma linariifolia</i>				☒					☒			Fr		L		
<i>Coprosma lucida</i>		☒		☒				☒	☒			Fr				
<i>Coprosma microcarpa</i>				☒					☒		☒	Fr				
<i>Coprosma obconica</i>				☒					☒			Fr			R	5
<i>Coprosma propinqua</i>		☒	☒	☒	☒			☒	☒			Fr				
<i>Coprosma rhamnoides</i>				☒	☒				☒			Fr				
<i>Coprosma rigida</i>				☒	☒				☒			Fr				
<i>Coprosma robusta</i>	Karamu	☒		☒	☒			☒	☒			Fr		L		

These lists represent "work in progress" and are a guide only

EAST COAST SHRUBLAND/ FOREST (draft) URE TO KAIKOURA		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Not on Limestone	Bird Food	Showy Flowers or Fruit	Flammability	Localized or Rare in District	Threat Classification (if appropriate)
Coprosma rotundifolia				☒					☒			Fr				
Coprosma rubra				☒					☒			Fr			R	
Coprosma "taylorae"				☒	☒			☒	☒			Fr				
Coprosma virescens				☒				☒	☒			Fr			R	
Cordyline banksii	Forest cabbage tree		☒	☒				☒	☒			Fl, Fr	Fl			
Coriaria arborea	Tutu	☒		☒			☒	☒	☒			Fr				
Discaria toumatou	Matagouri , wild Irishman	☒			☒			☒		☒		Fl, Fr				
Dodonaea viscosa	Akeake	☒		☒	☒		☒	☒	☒					M/H		
Fuchsia excorticata	Tree fuchsia, kotukutuku			☒					☒			N,Fr	Fl	L		
Hebe gracillima	Hebe			☒					☒				Fl			
Hebe parviflora	Hebe			☒					☒				Fl			
Hebe salicifolia	Hebe	☒		☒	☒		☒	☒	☒				Fl	L/M		
Hebe stricta var atkinsonii	Hebe	☒		☒	☒		☒	☒	☒				Fl			
Hebe stenophylla	Hebe			☒	☒		☒	☒	☒	☒			Fl			
Helichrysum lanceolatum	Niniaio			☒	☒			☒	☒	☒			Fl			
Leucopogon fasciculatus	Mingimingi			☒	☒			☒	☒			Fr				
Lophomyrtus obcordata	Rohutu			☒	☒			☒	☒			Fr				
Macropiper excelsum	Kawakawa			☒	☒			☒	☒			Fr		L		
Melicope simplex	Poataniwha			☒				☒	☒							
Melicytus lanceolatus	Mahoe wao,narrow-leaved mahoe			☒				☒	☒			Fr		L/M	R	
Melicytus micranthus	Small-leaved mahoe			☒					☒			Fr		L/M	R	
Melicytus obovatus	Porcupine shrub			☒	☒			☒	☒			Fr			R	
Muehlenbeckia astonii				☒	☒		☒	☒				Fr			R	3
Myrsine divaricata	Weeping matipo			☒	☒			☒	☒			Fr				
Neomyrtus pedunculata	Rohutu			☒	☒				☒		☒	Fr				
Pseudopanax ferox	Fierce lancewood			☒	☒		☒	☒	☒	☒		Fr			L	6
Pseudowintera axillaris	Horopito , pepper tree			☒	☒	☒			☒			Fr				
Pseudowintera colorata	Horopito , pepper tree			☒	☒			☒	☒			Fr				
Schefflera digitata	Pate			☒	☒	☒			☒			Fr				
Solanum aviculare	Poroporo			☒	☒		☒		☒			Fr	Fl, Fr	L		

These lists represent "work in progress" and are a guide only

EAST COAST SHRUBLAND/ FOREST (draft) URE TO KAIKOURA		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Not on Limestone	Bird Food	Showy Flowers or Fruit	Flammability	Localized or Rare in District	Threat Classification (if appropriate)
<i>Solanum laciniatum</i>	Poroporo			☒			☒		☒			Fr	Fl, Fr	L		
<i>Streblus heterophyllus</i>	Turepo, small-leaved			☒					☒						L	
<i>Teucrium parvifolium</i>				☒					☒						L	5
<i>Urtica ferox</i>	Ongaonga, tree nettle			☒	☒			☒	☒							
SMALL SHRUBS etc																
<i>Aristotelia fruticosa</i>				☒	☒		☒	☒				Fr				
<i>Astelia fragrans</i>	Bush lily			☒		☒			☒			Fr	Fl, Fr			
<i>Blechnum novae-zelandiae</i>				☒					☒							
<i>Brachyglottis monroi</i>				☒	☒		☒	☒		☒			Fl			
<i>Chionochloa flavescens</i>	Snow tussock			☒						☒				M/H		
<i>Coprosma acerosa</i> var " <i>brunnea</i> "				☒	☒		☒	☒		☒		Fr				
<i>Coriaria kingiana</i>	Tutu			☒	☒		☒	☒				Fr				
<i>Coriaria sarmentosa</i>	Tutu		☒	☒	☒		☒	☒				Fr				
<i>Cortaderia richardii</i>	Toetoe, toitoi grass	☒		☒			☒	☒	☒				Fl			
<i>Corokia cotoneaster</i>	Korokio			☒	☒		☒	☒	☒	☒		Fr	Fl			
<i>Cyathodes juniperina</i>	Mingimingi			☒	☒			☒	☒	☒		Fr				
<i>Gahnia pauciflora</i>	Cutty grass			☒	☒				☒		☒					
<i>Gaultheria antipoda</i>	Snow berry			☒	☒		☒	☒		☒	☒	Fr	Fl, Fr			
<i>Hebe glaucophylla</i>	Tree hebe			☒	☒		☒	☒		☒			Fl			
<i>Hebe parviflora</i>	Hebe			☒	☒				☒				Fl			
<i>Hebe traversii</i>	Hebe			☒	☒		☒	☒					Fl			
<i>Heliohebe hulkeana</i>	New Zealand lilac			☒	☒		☒	☒		☒			Fl			
<i>Melicytus "waipapa bay"</i>	Porcupine shrub			☒	☒		☒	☒		☒		Fr				5
<i>Muehlenbeckia complexa</i>	Pohuehue	☒		☒	☒		☒	☒	☒			Fl, Fr				
<i>Olearia arborescens</i>				☒					☒	☒			Fl			
<i>Olearia coriacea</i>				☒	☒		☒	☒		☒	☒					
<i>Olearia solandri</i>	Coastal tree daisy	☒		☒	☒		☒	☒		☒						
<i>Ozothamnus "George"</i>				☒	☒		☒	☒		☒						
<i>Ozothamnus leptophyllus</i>	Tauhinu	☒		☒	☒		☒	☒		☒						
<i>Pachystegia insignis</i>	Marlborough Rock Daisy				☒	☒				☒			Fl			

These lists represent "work in progress" and are a guide only

EAST COAST SHRUBLAND/ FOREST (draft) URE TO KAIKOURA		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Not on Limestone	Bird Food	Showy Flowers or Fruit	Flammability	Localized or Rare in District	Threat Classification (if appropriate)
Phormium cookianum	Wharariki	☒		☒	☒		☒	☒		☒		Z	Fl, Fr	M		
Phormium tenax	Harakeke	☒	☒	☒			☒	☒				Z	Fl, Fr	M		
Pimelea aridula	Daphne			☒	☒		☒	☒		☒						R
Pittosporum divaricatum				☒	☒				☒		☒					
Raukua anomalus				☒					☒							
Sophora prostrata	Prostrate kowhai			☒	☒		☒	☒		☒		Z	Fl		L	
LOW GROUND PLANTS																
Carex dipsacea				☒					☒							
Carex dissita				☒					☒							
Carex flagellifera				☒	☒			☒	☒							
Carex forsteri				☒					☒							
Carex raoulii				☒	☒			☒								
Carex solandri				☒					☒							
Carex testacea				☒					☒							
Dianella nigra	Blueberry			☒				☒	☒		☒	Fr	Fl,Fr			
Fuchsia perscandens				☒		☒			☒							
Libertia ixioides	Native iris			☒	☒				☒				Fl			
Microlaena polynoda	Bamboo rice grass			☒					☒							
Poa cita	Silver tussock				☒			☒		☒						
Uncinia ferruginea	Hookgrass		☒	☒	☒				☒							
Uncinia laxiflora	Hookgrass			☒	☒				☒							
Uncinia leptostachya	Hookgrass			☒	☒				☒							
Uncinia scabra	Hookgrass			☒	☒				☒							
Uncinia uncinata	Hookgrass		☒	☒	☒				☒							
VINES																
Clematis afoliata	Leafless Clematis				☒		☒	☒					Fl		L	
Clematis foetida				☒		☒		☒	☒				Fl			
Clematis forsteri				☒		☒		☒	☒				Fl			
Clematis paniculata				☒		☒		☒	☒				Fl			

These lists represent "work in progress" and are a guide only

EAST COAST SHRUBLAND/ FOREST (draft) URE TO KAIKOURA		Initial Shelter (Nurse Species)	Wet	Moist	Dry	Shade required to establish	Shade intolerant	Shrubland	Forest	Open Rocky Sites	Not on Limestone	Bird Food	Showy Flowers or Fruit	Flammability	Localized or Rare in District	Threat Classification (if appropriate)
<i>Freycinetia baueriana</i> ssp <i>banksii</i>	Kiekie			Fr					Fr			Fl	Fl, Fr		L	
<i>Parsonsia capsularis</i>	Native jasmine			Fr	Fr			Fr	Fr				Fl			
<i>Parsonsia heterophylla</i>	Native jasmine			Fr	Fr			Fr	Fr				Fl			
<i>Passiflora tetrandra</i>	Passionvine			Fr					Fr						L	
<i>Ripogonum scandens</i>	Supplejack			Fr		Fr			Fr			Fr	Fr			
<i>Rubus cissoides</i>	Bush lawyer			Fr					Fr			Fr	Fl,Fr			
<i>Rubus schmidelioides</i>	Bush lawyer			Fr	Fr			Fr	Fr			Fr	Fl, Fr			
<i>Rubus squarrosus</i>	Leafless lawyer			Fr	Fr		Fr	Fr	Fr			Fr	Fl, Fr			

Fr	Fruit	National Threat Classification
Fl	Flowers	1 Nationally critical
H	Honeydew	2 Nationally endangered
N	Nectar	3 Nationally vulnerable
Lv	Leaves & shoots	4 Serious decline
		5 Gradual decline
		6 Sparse
		7 Range restricted
		8 Data deficient

Plants people are most likely to recognise
and obtain for revegetation

Please also consult the Flammability of native plant species brochure, obtained
from Council for more information on flammability of native species.